Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1600txm

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	NOV 21	CAS patent coverage to include exemplified prophetic substances identified in English-, French-, German-, and Japanese-language basic patents from 2004-present
NEWS	3	NOV 26	MARPAT enhanced with FSORT command
NEWS	4	NOV 26	CHEMSAFE now available on STN Easy
NEWS	5	NOV 26	Two new SET commands increase convenience of STN searching
NEWS	6	DEC 01	ChemPort single article sales feature unavailable
NEWS	7	DEC 12	GBFULL now offers single source for full-text coverage of complete UK patent families
NEWS	8	DEC 17	Fifty-one pharmaceutical ingredients added to PS
NEWS	9	JAN 06	The retention policy for unread STNmail messages will change in 2009 for STN-Columbus and STN-Tokyo
NEWS	10	JAN 07	WPIDS, WPINDEX, and WPIX enhanced Japanese Patent Classification Data
NEWS	11	FEB 02	Simultaneous left and right truncation (SLART) added for CERAB, COMPUAB, ELCOM, and SOLIDSTATE
NEWS	12	FEB 02	GENBANK enhanced with SET PLURALS and SET SPELLING
NEWS	13	FEB 06	Patent sequence location (PSL) data added to USGENE
NEWS	14	FEB 10	COMPENDEX reloaded and enhanced
NEWS	15	FEB 11	WTEXTILES reloaded and enhanced
NEWS	16	FEB 19	New patent-examiner citations in 300,000 CA/CAplus patent records provide insights into related prior art
NEWS	17	FEB 19	Increase the precision of your patent queries -- use terms from the IPC Thesaurus, Version 2009.01
NEWS	18	FEB 23	Several formats for image display and print options discontinued in USPATFULL and USPAT2
NEWS	19	FEB 23	MEDLINE now offers more precise author group fields and 2009 MeSH terms
NEWS	20	FEB 23	TOXCENTER updates mirror those of MEDLINE - more precise author group fields and 2009 MeSH terms
NEWS	21	FEB 23	Three million new patent records blast AEROSPACE into STN patent clusters
NEWS	22	FEB 25	USGENE enhanced with patent family and legal status display data from INPADOCDB
NEWS	23	MAR 06	INPADOCDB and INPAFAMDB enhanced with new display formats
NEWS	24	MAR 11	EPFULL backfile enhanced with additional full-text applications and grants
NEWS	25	MAR 11	ESBIOBASE reloaded and enhanced

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS LOGIN	Welcome Banner and News Items
NEWS IPC8	For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may

result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 17:28:28 ON 16 MAR 2009

=> file reg
COST IN U.S. DOLLARS SINCE FILE ENTRY TOTAL SESSION
FULL ESTIMATED COST 0.22 0.22

FILE 'REGISTRY' ENTERED AT 17:29:06 ON 16 MAR 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 15 MAR 2009 HIGHEST RN 1121544-94-2
DICTIONARY FILE UPDATES: 15 MAR 2009 HIGHEST RN 1121544-94-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>
Uploading C:\Program Files\Stnexp\Queries\10564476claim7.str

L1 STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1
SAMPLE SEARCH INITIATED 17:29:32 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 151 TO ITERATE

```
100.0% PROCESSED      151 ITERATIONS                                0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:         2283 TO      3757
PROJECTED ANSWERS:               0 TO         0

L2            0 SEA SSS SAM L1

=> s l1 full
FULL SEARCH INITIATED 17:29:36 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -      2752 TO ITERATE

100.0% PROCESSED     2752 ITERATIONS                               11 ANSWERS
SEARCH TIME: 00.00.01

L3           11 SEA SSS FUL L1

=> file caplus
COST IN U.S. DOLLARS                                SINCE FILE      TOTAL
                                                      ENTRY    SESSION
FULL ESTIMATED COST                                   185.88     186.10

FILE 'CAPLUS' ENTERED AT 17:29:42 ON 16 MAR 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)


Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN.  Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 16 Mar 2009  VOL 150 ISS 12
FILE LAST UPDATED: 15 Mar 2009  (20090315/ED)

Caplus now includes complete International Patent Classification (IPC)
reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

http://www.cas.org/legal/infopolicy.html

This file contains CAS Registry Numbers for easy and accurate
substance identification.

=> s l3
L4            6 L3

=> d bib abs hitstr 1-6 14

14   ANSWER 1 OF 6  CAPLUS  COPYRIGHT 2009 ACS on STN
AN   2007:1199729  CAPLUS
DN   148:55317
TI   Synthesis of cyclic bis(3'-5')-2'-deoxyguanylic/guanylic acid (c-dGpGp)
     and its biological activities to microbes
AU   Mano, Erina; Hyodo, Mamoru; Sato, Yumi; Ishihara, Yuka; Ohta, Michio;
     Hayakawa, Yoshihiro
CS   Graduate School of Information Science/Human Informatics and CREST of JST,
     Nagoya University, Furo-cho, Chikusa, Nagoya, 464-8601, Japan
SO   ChemMedChem (2007), 2(10), 1410-1413
     CODEN: CHEMGX; ISSN: 1860-7179
PB   Wiley-VCH Verlag GmbH & Co. KGaA
DT   Journal
LA   English
```

OS CASREACT 148:55317

AB In this study, the authors describe a novel synthetic method for preparation of cyclic bis(3'→5')-2'-deoxyguanylic/guanylic acid (c-dGpGp). The effect of c-dGpGp on the biofilm formation and motility of several bacteria was examined. C-diGMP promoted the motility of P. aeruginosa and V. parahaemolyticus, but repressed the motility of S. typhimurium; on the other hand, c-dGpGp weakly repressed the motility of all of the bacteria. The conformational difference in c-dGpGp and c-diGMP may be one of the factors causing their different biol. properties.

IT 960065-34-3P 960065-36-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(synthesis of cyclic bis-deoxyguanylic guanylic acid and its effect on motility of some bacteria)

RN 960065-34-3 CAPLUS

CN 3'-Guanylic acid, 2'-deoxy-N-[(dimethylamino)methylene]-, 2-cyanoethyl 2-propen-1-yl ester (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 960065-36-5 CAPLUS

CN 3'-Guanylic acid, N-[(dimethylamino)methylene]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-P-2-propen-1-ylguanylyl-(3'→5')-N-[(dimethylamino)methylene]-, 3'-(2-cyanoethyl) 3'-(2-propen-1-yl) ester (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

PAGE 1-A





RE.CNT 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2009 ACS on STN
AN 2006:207013 CAPLUS
DN 144:450867
TI Synthesis of cyclic bis(3'-5')diguanylic acid (c-di-GMP) analogs
AU Hyodo, Mamoru; Sato, Yumi; Hayakawa, Yoshihiro
CS Graduate School of Information Science/Human Informatics and CREST JST, Nagoya University, Chikusa, Nagoya, 464-8601, Japan
SO Tetrahedron (2006), 62(13), 3089-3094
CODEN: TETRAB; ISSN: 0040-4020
PB Elsevier B.V.
DT Journal
LA English
OS CASREACT 144:450867
AB This paper reports the synthesis of cyclic bis(3'-5')diguanylic acid (c-di-GMP) analogs, including the monophosphorothioic acid of c-di-GMP (c-GpGps), cyclic bis(3'-5')guanylic/adenylic acid (c-GpAp), and cyclic bis(3'-5')guanylic/inosinic acid (c-GpIp). These compds. are expected to be important, both in elucidating the mechanism of bioactive c-di-GMP and in designing and creating new bioactive c-di-GMP-related artificial derivs.
IT 827602-96-0 885370-28-5
RL: RCT (Reactant); RACT (Reactant or reagent)
(synthesis of cyclic bis(3'-5')diguanylic acid analogs including the monophosphorothioic acid of c-di-GMP, cyclic bis(3'-5')guanylic/adenylic acid, and cyclic bis(3'-5')guanylic/inosinic acid)
RN 827602-96-0 CAPLUS
CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-N-[(dimethylamino)methylene]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 885370-28-5 CAPLUS
CN 3'-Inosinic acid, 5'-O-[bis(4-methoxyphenyl)phenylmethyl]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-6-O-[2-(4-nitrophenyl)ethoxy]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 885370-24-1P 885370-26-3P 885370-29-6P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(synthesis of cyclic bis(3'-5')diguanylic acid analogs including the monophosphorothioic acid of c-di-GMP, cyclic bis(3'-5')guanylic/adenylic acid, and cyclic bis(3'-5')guanylic/inosinic acid)

RN 885370-24-1 CAPLUS

CN 3'-Guanylic acid, P(O)-(2-cyanoethyl)-N-[(dimethylamino)methylene]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-P-thioguanylyl-(3'→5')-N-[(dimethylamino)methylene]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

PAGE 1-A



PAGE 1-B



RN 885370-26-3 CAPLUS
CN 3'-Guanylic acid, P-(2-cyanoethyl)-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-N-(phenoxyacetyl)adenylyl-(3'→5')-N-[(dimethylamino)methylene]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

PAGE 1-A



PAGE 1-B



RN 885370-29-6 CAPLUS
CN 3'-Guanylic acid, P-(2-cyanoethyl)-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-6-O-[2-(4-nitrophenyl)ethyl]inosinylyl-(3'→5')-N-[(dimethylamino)methylene]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

PAGE 1-A



PAGE 1-B

RE.CNT 27 THERE ARE 27 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 3 OF 6 CAPLUS COPYRIGHT 2009 ACS on STN
AN 2005:58224 CAPLUS
DN 142:156269
TI Method of synthesizing cyclic dinucleotide
IN Hayakawa, Yoshihiro
PA Mitsui Chemicals, Inc., Japan
SO PCT Int. Appl., 56 pp.
CODEN: PIXXD2
DT Patent
LA Japanese
FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2005005450	A1	20050120	WO 2004-JP7000	20040517
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1645561	A1	20060412	EP 2004-733482	20040517
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
US 20060167241	A1	20060727	US 2006-564476	20060113
PRAI JP 2003-274389	A	20030715		

WO 2004-JP7000 W 20040517
OS MARPAT 142:156269
GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB A compound represented by the general formula (I) (wherein R2, R3 = H, halo, OMe, Z-methoxyethoxy, HO; B2, B3 = a nucleic acid base) or a salt thereof can be synthesized from a compound represented by the general formula (II) (wherein R1 = H, halo, OMe, 2-methoxyethoxy, HO substituted by a hydroxy-protecting group; B1 = an optionally protected nucleic acid base). Cyclic bis(3'→5')dinucleotide I is useful as an anticancer agent (no data). Thus, N2-(allyloxycarbonyl)-O6-allyl-2'-O-(tert-butyldimethylsilyl)-5'-O-(4,4'-dimethoxytrityl)guanosine 3'-O-(allyl N,N-diisopropylphosphoramidite) (III) was condensed with 2-cyanoethanol in the presence of imidazolium perchlorate and mol. sieve 3A in MeCN followed by treatment with imidazolium perchlorate for oxidation and then with dichloroacetic acid in CH2Cl2 for deprotection of 4,4'-dimethoxytrityl group gave guanosine phosphate triester (IV) (R = CH2CH2CN) which was similarly coupled with III to give dinucleotide IV (R = Q). IV (R = Q) was stirred with a mixture of 28% aqueous NH3 and MeOH at room temperature for 30 min, concentrated under reduced pressure, taken up in toluene three times and each time concentrated under reduced pressure, dissolved in THF, treated with N-methylimidazole and triisopropylbenzenesulfonyl chloride, and stirred at room temperature for 20 h to give protected cyclic dinucleotide (V) which was deprotected by treatment with Ph3P, n-butylamine, formic acid, and Pd2[(C6H4CH:CH)2CO]3.CHCl3 in THF at room temperature for 10 min and then with Et3N.3HF complex at room temperature for 12 h to give cyclic diguanylate I (B2 = B3 = guanine residue).

IT 609343-79-5P 609343-80-8P 827602-96-0P
827602-97-1P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(method of synthesizing anticancer cyclic dinucleotide and intermediates thereof)

RN 609343-79-5 CAPLUS

CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 609343-80-8 CAPLUS

CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-P-2-propenyl-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]guanylyl-(3'→5')-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A



PAGE 1-B



RN 827602-96-0 CAPLUS
CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-N-[(dimethylamino)methylene]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 827602-97-1 CAPLUS
CN 3'-Guanylic acid, N-[(dimethylamino)methylene]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-P-2-propenylguanylyl-(3'→5')-N-[(dimethylamino)methylene]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

PAGE 1-A



PAGE 1-B

RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2009 ACS on STN
AN 2004:1038011 CAPLUS
DN 142:156254
TI An improved method for synthesizing cyclic bis(3'-5')diguanylic acid (c-di-GMP)
AU Hyodo, Mamoru; Hayakawa, Yoshihiro
CS Graduate School of Information Science/Human Informatics and CREST JST, Nagoya University, Nagoya, 464-8601, Japan
SO Bulletin of the Chemical Society of Japan (2004), 77(11), 2089-2093
CODEN: BCSJA8; ISSN: 0009-2673
PB Chemical Society of Japan
DT Journal
LA English
OS CASREACT 142:156254
AB This paper describes a new method for synthesizing biol. important cyclic bis(3'-5')diguanylic acid (c-di-GMP) in a higher yield than that previously reported to be available by our synthetic method. In the new synthesis, the following two means, in place of those used in the previously reported synthesis, are employed as main strategies to obtain an increase in product yield. One is the use of di-tert-butylsilanediyl protection for 3'- and 5'-hydroxy groups of guanosine; this method allows regioselective production of a 2'-O-(tert-butyldimethylsilyl)guanosine derivative that is a key intermediate for the synthesis. The other is the use of a dimethylformamidine group as a protector for the 2-NH2 function of the guanine base, which can be easily introduced and results in an excellent yield.
IT 827602-96-0P 830330-55-7P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of cyclic bis(3'-5')diguanylic acid using di-tert-butylsilanediyl protection of the 3' and 5' hydroxy groups and dimethylformamidine to protect the amino group of the guanine base)

RN 827602-96-0 CAPLUS
CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-N-[(dimethylamino)methylene]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 830330-55-7 CAPLUS
CN 3'-Guanylic acid, P-(2-cyanoethyl)-N-[(dimethylamino)methylene]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]guanylyl-(3'→5')-N-[(dimethylamino)methylene]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

PAGE 1-A



PAGE 1-B



RE.CNT 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2009 ACS on STN
AN 2003:677651 CAPLUS
DN 140:199576
TI A new synthetic approach to cyclic bis(3'→5')diguanylic acid
AU Kawai, Rie; Nagata, Reiko; Hirata, Akiyoshi; Hayakawa, Yoshihiro
CS Graduate School of Human Informatics, Nagoya University, Nagoya, 464-8601, Japan
SO Nucleic Acids Research Supplement (2003), 3(3rd International Symposium on Nucleic Acids Chemistry [and] 30th Symposium on Nucleic Acids Chemistry in Japan, 2003), 103-104
CODEN: NARSCE
PB Oxford University Press
DT Journal
LA English
AB A symposium. We developed a novel synthesis of biol. important cyclic bis(3'→5')diguanylic acid (cGpGp). The present synthesis includes two strategies different from those employed in an existing synthesis. They are the phosphoramidite method for the preparation of a guanylyl(3'→5')guanylic acid intermediate and allyl protection for guanine bases and internucleotide linkages. These distinctive strategies have allowed the new synthesis to provide the target compound in a higher yield than that of the existing synthesis.
IT 609343-79-5P 609343-80-8P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(synthesis of cyclic bis(3'→5')diguanylic acid via phosphoramidite method and allyl protection for guanine bases and internucleotide linkages)
RN 609343-79-5 CAPLUS
CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 609343-80-8 CAPLUS
CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-P-2-propenyl-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]guanylyl-(3'→5')-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A



PAGE 1-B



RE.CNT 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2009 ACS on STN
AN 2003:598480 CAPLUS
DN 139:292443
TI A facile synthesis of cyclic bis(3'→5')diguanylic acid
AU Hayakawa, Yoshihiro; Nagata, Reiko; Hirata, Akiyoshi; Hyodo, Mamoru; Kawai, Rie
CS Laboratory of Bioorganic Chemistry, Graduate School of Human Informatics, Nagoya University, Nagoya, 464-8601, Japan
SO Tetrahedron (2003), 59(34), 6465-6471
CODEN: TETRAB; ISSN: 0040-4020
PB Elsevier Science B.V.
DT Journal
LA English
OS CASREACT 139:292443
AB This paper describes a new method for synthesizing biol. important cyclic bis(3'→5')diguanylic acid (cGpGp) in a higher yield than that of the existing synthetic method. In the new synthesis, the following two means, in place of those used in the existing synthesis are employed as main strategies to cause the increase in product yield. One of these distinctive strategies in the new synthesis is that the phosphoramidite method is used for the preparation of a key synthetic intermediate of a linear guanylyl(3'→5')guanylic acid derivative This method allowed higher-yield formation of the intermediate than that by the triester method used in the existing synthesis. The second distinctive strategy used in the new synthesis is that allyloxycarbonyl and allyl groups are used for the protection of two guanine bases and two internucleotide bonds, resp. These four allylic protectors can be removed all at once by the organopalladium-catalyzed reaction under neutral conditions. Thus, deprotection of the protected cGpGp precursor was achieved in the present synthesis in a shorter step and under milder conditions than the deprotection achieved in the existing synthesis, which uses diphenylacetyl

and o-chlorophenyl groups as protectors for two guanine bases and two internucleotide bonds, resp., whose full removal requires two different procedures including rather harsh basic treatment. As a result, tech. loss and decomposition of the target product in the new synthesis is remarkably reduced.

IT 609343-79-5P 609343-80-8P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of cyclic diguanylic acid dinucleotides using allyloxycarbonyl and allyl protecting groups)

RN 609343-79-5 CAPLUS
CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 609343-80-8 CAPLUS
CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-P-2-propenyl-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]guanylyl-(3'→5')-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A





RE.CNT 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT